# لیست آزمایشات اختصاصی

نام آزمایشگاه :

تاریخ تکمیل:

| نام تست | پذیرش و نمونه گیری در آزمایشگاه (بلی/خیر) | دوره زمانی انجام آزمایش(روزانه/هفتگی/...) | انجام در محل آزمایشگاه (با ذکر روش) | انجام در آزمایشگاه ارجاع (با ذکر نام آزمایشگاه و روش انجام آزمایش) |
|---|---|---|---|---|
| **A** | | | | |
| (Anticardiolipin Ab)ACLA | | | | |
| ACTH | | | | |
| Acid Phosphatase | | | | |
| Adenosine deaminase | | | | |
| AIpha – 1 Antitrypsin | | | | |
| Alpha2- Macroglobulin | | | | |
| ANA | | | | |
| AIfa Feto Protein | | | | |
| (Anti mitochondrial) | | | | |
| ADH | | | | |
| ACE (Acetyl cholin esterase) | | | | |
| (Anti smooth muscle Ab) ASMA | | | | |
| ANCA (MPO & PR3) | | | | |
| Androstendione | | | | |
| Ani Gliadine ( lgG & lgA) | | | | |
| Anti Beta 2 Glycoprotein (lgA) | | | | |
| Anti CCP(Anti cyclic citrullinated peptide) | | | | |
| Anti Centromer (Crest) Ab | | | | |
| Anti ds DNA | | | | |
| Anti Endomesial (lgA) | | | | |
| Anti GBM (Good Posture) | | | | |
| Anti Hydatid Cyst | | | | |
| Anti JO-1 | | | | |
| Anti Microsomal | | | | |
| APO A و APO B | | | | |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | AMH(Anti mullerian Ab) |
| | | | | Anti Phospholipid |
| | | | | (Anti thyroid Peroxidase Ab)Anti TPO |
| | | | | Aldostrone |
| | | | | Anti sperm Ab(ASA) |
| | | | | (Anti thyroglobulin Ab)Anti TG |
| | | | | Aldolase |
| | | | | Amonia |
| | | | | Amino acids , urine |
| | | | | Amylase |
| | | | | (Anti soluble liver Ab)Anti SLA |
| | | | | (Anti liver kidney micro some) Anti LKM |
| | | | | Anti interferon |
| | | | | (Anti myotated citrulinated vimentin) Anti mcv |
| | | | | AFB (acid fast) |
| | | | | Antistreptolysin O titer |
| | | | | Anti thrombin III |
| | | | | |
| | | | | Anti- GBM (Glomeral Basement membrane) |
| | | | | Anti SCL – 70 |
| | | | | Anti smith Ab |
| | | | | Aquapurin 4 |
| | | | | Anti Tuberculosis Ab IgG |
| | | | | Aspirin (Acid Acetyl Salisilic) |
| | | | | Ascorbic Acid |
| **B** | | | | |
| | | | | Barbiturate |
| | | | | Borrellia |
| | | | | Bence jonce protein |

| | | | | |
|---|---|---|---|---|
| | | | | Beta HCG Titer |
| | | | | Brucella IgG & IgM |
| **C** | | | | |
| | | | | Calcitonin |
| | | | | C - Peptide |
| | | | | C1 Inhibitor |
| | | | | C1q |
| | | | | C3 |
| | | | | C4 |
| | | | | Ca (Ionised) |
| | | | | CA 15 - 3 |
| | | | | CA125 |
| | | | | Carbamazepine |
| | | | | CEA |
| | | | | Ceruloplasmin |
| | | | | Creatine kinase MB |
| | | | | Creatinine clearance |
| | | | | CH50 |
| | | | | CA19-9 |
| | | | | Chlamydia IgG |
| | | | | Choline Esterase |
| | | | | Citrate(Urine) |
| | | | | (Chloride) CL |
| | | | | CMV (IgG , IgM) |
| | | | | CSF agglutinin titer |
| | | | | Cortisol |
| | | | | Cold agglutinin titer |

| | | | | |
|---|---|---|---|---|
| | | | | Cryoglobuline |
| | | | | Copper , serum , urine |
| | | | | Cyclosporine Level |
| | | | | CD markers |
| **D** | | | | |
| | | | | D - xylose |
| | | | | DHEA , DHEA - S |
| | | | | D-Dimer |
| | | | | DHT (Dihydrotestosterone) |
| | | | | Dexamethsone test |
| | | | | Digoxin |
| **E** | | | | |
| | | | | ENA (Extractable Nuclear Ag) |
| | | | | Estradiol |
| | | | | Esterogene |
| | | | | Esteriol , unconjugated |
| **F** | | | | |
| | | | | Factor XIII |
| | | | | Fasciola Ab |
| | | | | Fibrinogen |
| | | | | FTA-Abs |
| | | | | Fat Droplets in stool |
| | | | | Fish study for HER2 |
| | | | | Folic Acid |
| | | | | Free PSA |

| | | | | |
|---|---|---|---|---|
| | | | | Free T3 |
| | | | | Ferritin |
| | | | | Free T4 |
| | | | | Free testosterone |
| | | | | FSH |
| **G** | | | | |
| | | | | GGT (Gamma Glutamyl Transferase) |
| | | | | GMS (Gomori Metenamin Silver stain) |
| | | | | Gasterin-17 |
| | | | | Crowth Hormone |
| ***H*** | | | | |
| | | | | Haptoglobin |
| | | | | HSV(lgM- IgG) |
| | | | | HAMS Test |
| | | | | HAV Ab |
| | | | | Hb H |
| | | | | HbA2 |
| | | | | HbA1C |
| | | | | Hb Electrophoresis (c ellulose acetate) |
| | | | | Hb Electrophoresis ( Citrate Agarose) |
| | | | | HBC Ab |
| | | | | H – Pylori (IgG, M.A) |
| | | | | HDV Ab |
| | | | | HPV (Human papiloma virus DNA test) |

| | | | | |
|---|---|---|---|---|
| | | | | HBe Ab |
| | | | | HBE Ag |
| | | | | HBS AB |
| | | | | HBS Ag |
| | | | | HCV ( WESTERN BLOT) |
| | | | | HCV PCR |
| | | | | HCV Ab |
| | | | | HCV Genotyping |
| | | | | HLA Typing |
| | | | | Homo Cystein |
| | | | | Hemosiderin stain |
| | | | | Herpes Virus II (IgG & IgM) |
| | | | | High Sensitive CRP |
| | | | | HIV Ab |
| | | | | HIV (WESTERN BLOT) |
| | | | | HIV P24 Antigen detetion |
| | | | | HLA B27 |
| | | | | HLA typing |
| | | | | HLA B8.21.& HLA CLASS 1&2 |
| | | | | HLA B5 |
| | | | | HLA CLASS 1 |
| | | | | 17-Hydroxy corticosteroids(urine) |
| | | | | 17-Hydroxy progestrone |
| **I** | | | | |

| | | | | |
|---|---|---|---|---|
| | | | | IgA |
| | | | | IgE |
| | | | | IgG |
| | | | | IgM |
| | | | | IHC |
| | | | | Influenza A(PCR) |
| | | | | IUI |
| | | | | Inhibin A&B |
| | | | | IGF- 1 |
| | | | | Immuno Electrophoresis |
| | | | | INSULIN, serum |
| | | | | Iron Stain |
| | | | | Insulin - Ab[ |
| **J** | | | | |
| | | | | JAK Mutation |
| **K** | | | | |
| | | | | 17-ketosteroids , urine |
| | | | | Kidney stone |
| | | | | Kal azar (IgA) |
| | | | | KARYO TYPE |
| | | | | Keton Bodies , Blood |
| | | | | Kleihauer-Betke |
| **L** | | | | |
| | | | | Lactose Tolerance Test |
| | | | | Leishmania (IFA) |

| | | | | |
|---|---|---|---|---|
| | | | | Lead , Blood , Urine |
| | | | | LH |
| | | | | Lipase |
| | | | | Listeria- Ab (GPM) |
| | | | | Lactate (Serum) |
| | | | | Lithium |
| | | | | Lupus Anicoagulant |
| | | | | LKMA(Liver kidney Microsomal Ab) |
| **M** | | | | |
| | | | | Magnesium |
| | | | | Masson Trichrome Stain |
| | | | | Manganese |
| | | | | Metanephrine |
| | | | | Microalbumin(Urine) |
| **N** | | | | |
| | | | | Newborn screening test for galactosomia |
| | | | | (Neuron – Specific Enolase) NSE |
| | | | | |
| | | | | (Nitro blue tetrazolium test) NBT |
| **O** | | | | |
| | | | | (Oligo clonal binding) OCB |
| | | | | Oxalate (Urine) |
| | | | | Osmotic fragility |
| **P** | | | | |
| | | | | Panel Reactin Test |
| | | | | PAPP- A |
| | | | | Paternity test |

| | | | | |
|---|---|---|---|---|
| | | | | Pentose (Urine) |
| | | | | PH in Stool |
| | | | | Phenylalanin |
| | | | | Platelet Ab |
| | | | | PKU(urine) |
| | | | | Porphyrine in urine & Stool&BLlood |
| | | | | Pro- BNP(Brain Natriuretic Peptide) |
| | | | | PSA |
| | | | | Progesterone |
| | | | | Phenytoin |
| | | | | Phenobarbital |
| | | | | Prolactin |
| | | | | Protein Electrophoresis |
| | | | | PTH |
| | | | | Protein C &S |
| **Q** | | | | |
| **R** | | | | |
| | | | | Reducing Substances , Urine |
| | | | | RF(Ig G) ELISA |
| | | | | Reducing Agent in Stool |
| | | | | Reticulin Stain |
| | | | | Anti RNP / Sm |
| | | | | Rubella IgG,M |

| | | | | |
|---|---|---|---|---|
| **S** | | | | |
| | | | | STOOL Ag. H.Pylori |
| | | | | Sodium |
| | | | | Succynil acetone |
| | | | | Suger water test |
| | | | | Stone Analysis |
| | | | | Skin Immunofluorescent |
| | | | | Sjogren syndrome Ab |
| **T** | | | | |
| | | | | Tacrolimus Level (FK) |
| | | | | TB(PCR) |
| | | | | TOXO(IgG.M) |
| | | | | Troponin I , T |
| | | | | Testosterone |
| | | | | Thyroglubolin Level |
| | | | | TTG (anti Tissue Transglutaminase antibody) |
| | | | | Tetanus(IgG) |
| | | | | Tyrosine |
| | | | | Thrombin time (TT) |
| **U** | | | | |
| | | | | (Unsaturated iron binding capacity) UIBC |
| | | | | Uncojugated estriol |
| | | | | Unstable Hb |
| **V** | | | | |
| | | | | VMA (Urine) |
| | | | | Vitamin B12 |
| | | | | Vitamin D |

| | | | | |
|---|---|---|---|---|
| | | | | Vitamin (C.E.A) |
| | | | | VALPROATE |
| | | | | VZV ab |
| **W** | | | | |
| | | | | WBC cross match |
| | | | | Warfarin , serum |
| **X** | | | | |
| **Y** | | | | |
| **Z** | | | | |
| | | | | (Zinc) ZN serum |

**نام آزمایشگاه:**
**مهر و امضاء مسئول فنی**